

【オプション検査】

頸動脈超音波

前年度：2023年4月1日 ～ 2024年3月31日

年齢起算日：2024年3月31日

今年度：2024年4月1日 ～ 2025年3月31日

年齢起算日：2025年3月31日

| 年齢 | 性別 | 健診受診者数 | | 結果判定状況 | | | | | | | | | | | | 異常なし (心配なし) | | 治療継続 | |
|-------|----|--------|----------|--------|----------|------|---------|------|----------|------|----------|---------|---------|------|----------|----------------|------|------|------|
| | | | | 要精再検 | | | | 要受診 | | 経過観察 | | 有所見者 合計 | | | | | | | |
| | | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 |
| 29歳以下 | 男 | 1 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 1 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 1 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 1 | 0 | 0 | 0 |
| | 女 | 2 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 2 | 0 | 0 | 0 |
| 35～39 | 男 | 59 | 54 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 13 | 9 | 13 | (22.0%) | 9 | (16.7%) | 46 | 45 | 0 | 0 |
| | 女 | 32 | 29 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 3 | 3 | 3 | (9.4%) | 3 | (10.3%) | 29 | 26 | 0 | 0 |
| 40～44 | 男 | 126 | 122 | 3 | (2.4%) | 3 | (2.5%) | 0 | 0 | 50 | 54 | 53 | (42.1%) | 57 | (46.7%) | 73 | 65 | 0 | 0 |
| | 女 | 58 | 29 | 1 | (1.7%) | 0 | (0.0%) | 0 | 0 | 23 | 6 | 24 | (41.4%) | 6 | (20.7%) | 34 | 23 | 0 | 0 |
| 45～49 | 男 | 89 | 67 | 6 | (6.7%) | 2 | (3.0%) | 0 | 0 | 61 | 45 | 67 | (75.3%) | 47 | (70.1%) | 21 | 20 | 1 | 0 |
| | 女 | 58 | 48 | 0 | (0.0%) | 1 | (2.1%) | 0 | 0 | 40 | 24 | 40 | (69.0%) | 25 | (52.1%) | 18 | 22 | 0 | 1 |
| 50～54 | 男 | 84 | 97 | 8 | (9.5%) | 8 | (8.2%) | 0 | 0 | 61 | 70 | 69 | (82.1%) | 78 | (80.4%) | 13 | 19 | 2 | 0 |
| | 女 | 89 | 84 | 1 | (1.1%) | 4 | (4.8%) | 0 | 0 | 65 | 54 | 66 | (74.2%) | 58 | (69.0%) | 23 | 26 | 0 | 0 |
| 55～59 | 男 | 97 | 93 | 11 | (11.3%) | 8 | (8.6%) | 0 | 0 | 77 | 71 | 88 | (90.7%) | 79 | (84.9%) | 9 | 11 | 0 | 3 |
| | 女 | 77 | 68 | 2 | (2.6%) | 4 | (5.9%) | 0 | 0 | 58 | 44 | 60 | (77.9%) | 48 | (70.6%) | 17 | 20 | 0 | 0 |
| 60～64 | 男 | 83 | 146 | 13 | (15.7%) | 17 | (11.6%) | 0 | 0 | 60 | 110 | 73 | (88.0%) | 127 | (87.0%) | 7 | 14 | 3 | 5 |
| | 女 | 52 | 78 | 2 | (3.8%) | 5 | (6.4%) | 0 | 0 | 48 | 68 | 50 | (96.2%) | 73 | (93.6%) | 2 | 5 | 0 | 0 |
| 65～69 | 男 | 37 | 40 | 4 | (10.8%) | 7 | (17.5%) | 0 | 0 | 29 | 32 | 33 | (89.2%) | 39 | (97.5%) | 0 | 1 | 4 | 0 |
| | 女 | 23 | 24 | 3 | (13.0%) | 1 | (4.2%) | 0 | 0 | 17 | 22 | 20 | (87.0%) | 23 | (95.8%) | 3 | 1 | 0 | 0 |
| 70歳以上 | 男 | 29 | 36 | 7 | (24.1%) | 5 | (13.9%) | 0 | 0 | 20 | 25 | 27 | (93.1%) | 30 | (83.3%) | 1 | 1 | 1 | 5 |
| | 女 | 23 | 21 | 1 | (4.3%) | 0 | (0.0%) | 0 | 0 | 18 | 20 | 19 | (82.6%) | 20 | (95.2%) | 2 | 1 | 2 | 0 |
| 計 | 男 | 606 | 655 | 52 | (8.6%) | 50 | (7.6%) | 0 | 0 | 371 | 416 | 423 | (69.8%) | 466 | (71.1%) | 172 | 176 | 11 | 13 |
| | 女 | 414 | 381 | 10 | (2.4%) | 15 | (3.9%) | 0 | 0 | 272 | 241 | 282 | (68.1%) | 256 | (67.2%) | 130 | 124 | 2 | 1 |
| 合計 | | 1,020 | 1,036 | 62 | (6.1%) | 65 | (6.3%) | 0 | 0 | 643 | 657 | 705 | (69.1%) | 722 | (69.7%) | 302 | 300 | 13 | 14 |
| 前年度比 | | 16 | (101.6%) | 3 | (104.8%) | 0 | (-) | 14 | (102.2%) | 17 | (102.4%) | -2 | (99.3%) | 1 | (107.7%) | | | | |

【オプション検査】

動脈硬化検査

前年度：2023年4月1日 ～ 2024年3月31日

年齢起算日：2024年3月31日

今年度：2024年4月1日 ～ 2025年3月31日

年齢起算日：2025年3月31日

| 年齢 | 性別 | 健診受診者数 | | 結果判定状況 | | | | | | | | | | | | 異常なし (心配なし) | | 治療継続 | |
|-------|----|--------|----------|--------|---------|------|---------|------|----------|------|----------|---------|---------|------|---------|----------------|------|------|------|
| | | | | 要精再検 | | | | 要受診 | | 経過観察 | | 有所見者 合計 | | | | | | | |
| | | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 |
| 29歳以下 | 男 | 1 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 1 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 0 | 2 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 2 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 3 | 9 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 1 | 2 | 1 | (33.3%) | 2 | (22.2%) | 2 | 7 | 0 | 0 |
| | 女 | 4 | 9 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 4 | 9 | 0 | 0 |
| 40～44 | 男 | 17 | 18 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 4 | 6 | 4 | (23.5%) | 6 | (33.3%) | 13 | 12 | 0 | 0 |
| | 女 | 7 | 8 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 1 | 1 | 1 | (14.3%) | 1 | (12.5%) | 6 | 7 | 0 | 0 |
| 45～49 | 男 | 40 | 33 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 15 | 11 | 15 | (37.5%) | 11 | (33.3%) | 25 | 22 | 0 | 0 |
| | 女 | 25 | 25 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 4 | 3 | 4 | (16.0%) | 3 | (12.0%) | 21 | 22 | 0 | 0 |
| 50～54 | 男 | 55 | 41 | 0 | (0.0%) | 1 | (2.4%) | 0 | 0 | 27 | 19 | 27 | (49.1%) | 20 | (48.8%) | 28 | 21 | 0 | 0 |
| | 女 | 47 | 44 | 0 | (0.0%) | 1 | (2.3%) | 0 | 0 | 16 | 11 | 16 | (34.0%) | 12 | (27.3%) | 31 | 31 | 0 | 1 |
| 55～59 | 男 | 74 | 73 | 3 | (4.1%) | 1 | (1.4%) | 0 | 0 | 45 | 42 | 48 | (64.9%) | 43 | (58.9%) | 26 | 29 | 0 | 1 |
| | 女 | 59 | 68 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 25 | 36 | 25 | (42.4%) | 36 | (52.9%) | 34 | 32 | 0 | 0 |
| 60～64 | 男 | 69 | 72 | 4 | (5.8%) | 5 | (6.9%) | 0 | 0 | 52 | 54 | 56 | (81.2%) | 59 | (81.9%) | 13 | 13 | 0 | 0 |
| | 女 | 61 | 60 | 3 | (4.9%) | 3 | (5.0%) | 0 | 0 | 38 | 41 | 41 | (67.2%) | 44 | (73.3%) | 20 | 16 | 0 | 0 |
| 65～69 | 男 | 46 | 51 | 3 | (6.5%) | 3 | (5.9%) | 0 | 0 | 36 | 34 | 39 | (84.8%) | 37 | (72.5%) | 7 | 14 | 0 | 0 |
| | 女 | 42 | 34 | 1 | (2.4%) | 0 | (0.0%) | 0 | 0 | 27 | 27 | 28 | (66.7%) | 27 | (79.4%) | 14 | 7 | 0 | 0 |
| 70歳以上 | 男 | 39 | 45 | 7 | (17.9%) | 4 | (8.9%) | 0 | 0 | 27 | 37 | 34 | (87.2%) | 41 | (91.1%) | 5 | 4 | 0 | 0 |
| | 女 | 31 | 35 | 7 | (22.6%) | 4 | (11.4%) | 0 | 0 | 21 | 29 | 28 | (90.3%) | 33 | (94.3%) | 3 | 2 | 0 | 0 |
| 計 | 男 | 344 | 344 | 17 | (4.9%) | 14 | (4.1%) | 0 | 0 | 207 | 205 | 224 | (65.1%) | 219 | (63.7%) | 120 | 124 | 0 | 1 |
| | 女 | 276 | 283 | 11 | (4.0%) | 8 | (2.8%) | 0 | 0 | 132 | 148 | 143 | (51.8%) | 156 | (55.1%) | 133 | 126 | 0 | 1 |
| 合計 | | 620 | 627 | 28 | (4.5%) | 22 | (3.5%) | 0 | 0 | 339 | 353 | 367 | (59.2%) | 375 | (59.8%) | 253 | 250 | 0 | 2 |
| 前年度比 | | 7 | (101.1%) | -6 | (78.6%) | 0 | (-) | 14 | (104.1%) | 8 | (102.2%) | -3 | (98.8%) | 2 | (-) | | | | |

【オプション検査】

喀痰細胞診

前年度：2023年4月1日 ～ 2024年3月31日 年齢起算日：2024年3月31日
 今年度：2024年4月1日 ～ 2025年3月31日 年齢起算日：2025年3月31日

| 年齢 | 性別 | 健診受診者数 | | 結果判定状況 | | | | | | | | | | | | 異常なし (心配なし) | | 治療継続 | |
|-------|----|--------|---------|--------|--------|------|--------|------|------|------|------|---------|--------|------|--------|----------------|---------|------|------|
| | | | | 要精再検 | | | | 要受診 | | 経過観察 | | 有所見者 合計 | | | | | | | |
| | | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 | 2023 | (%) | 2024 | (%) | 2023 | 2024 | 2023 | 2024 |
| 29歳以下 | 男 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 30～34 | 男 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 35～39 | 男 | 1 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 1 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 40～44 | 男 | 10 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 10 | 2 | 0 | 0 |
| | 女 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (-) | 0 | 0 | 0 | 0 |
| 45～49 | 男 | 30 | 3 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 30 | 3 | 0 | 0 |
| | 女 | 6 | 2 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 6 | 2 | 0 | 0 |
| 50～54 | 男 | 39 | 13 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 39 | 13 | 0 | 0 |
| | 女 | 14 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 14 | 1 | 0 | 0 |
| 55～59 | 男 | 48 | 13 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 48 | 13 | 0 | 0 |
| | 女 | 8 | 5 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 8 | 5 | 0 | 0 |
| 60～64 | 男 | 46 | 15 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 46 | 15 | 0 | 0 |
| | 女 | 4 | 1 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 4 | 1 | 0 | 0 |
| 65～69 | 男 | 12 | 5 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 12 | 5 | 0 | 0 |
| | 女 | 3 | 0 | 0 | (0.0%) | 0 | (-) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (-) | 3 | 0 | 0 | 0 |
| 70歳以上 | 男 | 5 | 6 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 5 | 6 | 0 | 0 |
| | 女 | 0 | 1 | 0 | (-) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (-) | 0 | (0.0%) | 0 | 1 | 0 | 0 |
| 計 | 男 | 191 | 57 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 191 | 57 | 0 | 0 |
| | 女 | 35 | 10 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 35 | 10 | 0 | 0 |
| 合計 | | 226 | 67 | 0 | (0.0%) | 0 | (0.0%) | 0 | 0 | 0 | 0 | 0 | (0.0%) | 0 | (0.0%) | 226 | 67 | 0 | 0 |
| 前年度比 | | -159 | (29.6%) | 0 | (-) | 0 | (-) | 0 | (-) | 0 | (-) | 0 | (-) | 0 | (-) | -159 | (29.6%) | 0 | (-) |